

L Number	Hits	Search Text	DB	Time stamp
1	12	Server with console with one with line	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:08
2	2	managing same server same console same one same communications same line	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:10
3	3860	remote same server same management	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:10
4	5	remote same server same management same console same single same line	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:12
5	88	remote same server same management same single same line	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:12
6	252	remote same server same management same (single or one) same line	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:13
7	72	remote with server with management same (single or one) same line	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:14
8	2306	one near2 communications near2 line	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:15
9	727	one near communications near line	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:15
10	49	(one near communications near line) same server	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:18
11	1055	server near5 console	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:19
12	2	server near5 console near communications same line	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:21
13	16	server near5 console near5 communications same line	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:22
14	106	remote same system same management same stored same procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:24
15	10	remote near10 system near10 management same stored same procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:26
16	3	remote near15 server near15 management same stored same procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:27
17	385	remote near (system or server or computer) near management	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:28

18	1	remote near (system or server or computer) near management same DBMS same (stored with procedure)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:29
19	1	remote near (system or server or computer) near management same DBMS same (command)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:29
20	2	remote near (system or server or computer) near management same DBMS	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:30
21	2	remote near (system or server or computer) near management same (DBMS or RDBMS)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:30
22	40	remote near (system or server or computer) near management same (DBMS or RDBMS or database)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:36
23	156	Xwindows	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:36
24	2	Xwindows with database	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:37
25	3	Xwindows same database	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:37
26	3	Xwindow\$ same database	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:39
28	29	Remote same communication\$ same (RDBMS or DBMS or database) same stored near procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:44
29	31	Remote same communication\$ same (RDBMS or DBMS or database) same stored near2 procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:45
30	5	Remote same communication\$ same (RDBMS or DBMS or database) same (sql near commands)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:46
31	218	remote same access same sql same server	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:47
32	0	remote same access same sql same server same (single near line)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:47
33	3271	remote same access same (sql or database) same server	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:48
34	1	remote same access same (sql or database) same server same (one near line)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:49
35	0	remote same access same (sql or database) same server same (one near2 communication near2 path)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:50
36	0	remote same access same (sql or database) same server same (single near path)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:50

37	0	remote same access same (sql or database) same server same (single near line)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:50
38	3	remote same access same (sql or database) same server same (single near connection)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:52
39	6	remote same access same (sql or database) same server same (single near2 connection)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:54
40	35	remote same access same (sql or database or rdbms or db) same server same ((single or one) near3 connection\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 10:59
41	26	remote same access same (sql or database or rdbms or db) same (server or computer) same ((single or one) near2 connection\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:01
42	2397	remote same access same (sql or database or rdbms or db) same (server or computer) same ((single or one)communication\$ near link)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:02
43	3	remote same access same (sql or database or rdbms or db) same (server or computer) same ((single or one) near communication\$ near link)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:03
44	156	Xwindows	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:03
45	1187	Xwindows or X-Windows	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:03
46	1040	X-Windows	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:04
47	1040	x-windows	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:04
48	0	(x-windows or xwindows) same (db or sql or database) same single near connection	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:05
49	1	(x-windows or xwindows) same (db or sql or database) same single same connection	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:05
50	84	(x-windows or xwindows) same (db or sql or database)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:09
51	37	(x-windows or xwindows) same (db or sql or database or server) same management	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:10
52	0	database same management same x-window same stored with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:11
53	2	database same management same x-window same stored	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:12
54	366	database same management same stored with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:12

55	27	database same management same stored with procedure same remote	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:16
56	4	remote with database with management same stored with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:17
57	4	remote with (database or db or rdbms or dbms) with management same stored with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:32
84	4	remote with (database or db or rdbms or dbms) near10 management same stored with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:32
85	4	remote near10 (database or db or rdbms or dbms) near10 management same stored with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:33
86	4	remote near10 (database or db or rdbms or dbms) near10 management same store\$ with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:33
87	8	remote near10 (database or db or rdbms or dbms) near10 management same ((store\$ with procedure) or sql with commands)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:36
88	8	remote near10 (database or db or rdbms or dbms) near10 management same ((store\$ with procedure) or sql with command\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:37
89	10	(remote or console) near10 (database or db or rdbms or dbms) near10 management same ((store\$ with procedure) or sql with command\$)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 11:39
90	14	sql same stored with procedure same remote with access	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:17
91	2701	remote same management same (rdbms or db or database)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:18
92	870	remote with management with (rdbms or db or database)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:18
93	4	remote with management with (rdbms or db or database) same stored with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:19
94	8	remote with (management or configuration) with (rdbms or db or database) same stored with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:19
97	4	invoke same stored with procedure same (database or rdbms or db or db2) same console	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:34
98	8	(invoke or run or execute) same stored with procedure same (database or rdbms or db or db2) same console	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:36
99	12	(invoke or run or execute or control) same stored with procedure same (database or rdbms or db or db2) same console	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:36
100	13	(invoke or run or execute or control or monitor or configure) same stored with procedure same (database or rdbms or db or db2) same console	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:38

101	14	(invoke or run or execute or control or monitor or configure) same stored with procedure same (database or rdbms or db or db2) same (console or remote near monitor)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:42
102	1	6658465.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:42
103	1	6658465.pn. and database	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:42
104	1	6192423.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:46
105	0	6192423.pn. and database	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:46
106	0	6192423.pn. and db	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:47
107	1	6192423.pn. and console	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 12:47
116	13	Manage with (bd2 or rdbms or database) with server with console	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:05
117	42	remote with manage with (bd2 or rdbms or database) with server	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:05
118	44	DB2 with stored with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:52
119	33	DB2 with stored near procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:53
120	0	DB2 with stored near procedure same file with IO	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:53
121	1	DB2 with stored near procedure same file with i/o	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:54
122	1	DB2 with stored near procedure with i/o	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:54
123	1	DB2 with stored near procedure same i/o	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:55
124	1	DB2 same stored near procedure same i/o	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:55
125	80	DB2 same stored near procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:55
126	33	DB2 with stored near procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 13:56

135	1	6487547.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 14:13
136	0	6487547.pn. and tabular	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 14:13
137	1	6487547.pn. and table	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 14:13
140	1	5657447.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 14:22
141	1	5657447.pn. and db2	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 14:23
142	1	5657447.pn. and db2 same stored with procedure	USPAT; US-PGPUB; EPO; IBM_TDB	2004/02/28 14:23